



# HARTMANN TRESORE



# GUN SAFES

*Hunters - Sports marksmen - Collectors - Authorities*



**Gun safes  
with VdS-tested  
fingerprint lock  
for more security  
and convenience!**



**Recommended by the  
Federal Association of  
German Professional Hunters**

**Official supplier  
to the Deutscher  
Schützenbund and  
its national team**



DEUTSCHER SCHÜTZENBUND E.V.



**HARTMANN**

**TRESORE AG**

*... At your side with security!*

## List of contents

Page	Model / Series	Security level
<b>HARTMANN rifle cabinets and gun safes</b>		
4	WT 080/WS 120	Security level A/S1
5	WT 100	Security level A/S1
6	WT 101	Security level A/S1
7	WT 083	Security level B/S2
8	WS 140	Security level B/S2
9	WT 084	Security level B/S2
10	WT 200	Security level B/S2
10	WT 085	Security level B/S2
11	WT 087	Security level B/S2
12/13	WT 250	Resistance grade N (0) + LFS 30 P
14	WS 160	Resistance grade N (0) + LFS 30 P
15	WTS	Resistance grade N (0)
16	WT 285	Resistance grade I
17	WT 270	Resistance grade I + LFS 30 P
18	WT 297/WT 298	Resistance grade I + II + S 60 P
19	WT 300/WT 310	Resistance grade I + II + S 60 P
<b>HARTMANN short weapons cabinets</b>		
20	WTS 060-01	without security level
21	K 102 K	Security level B/S2
21	WS 145	Security level B/S2
21	WS 165	Resistance grade N (0) + LFS 30 P
22	HTI 116	Resistance grade I
22	WS 175	Resistance grade I + LFS 30 P
<b>HARTMANN Ammunition safes</b>		
23	WS 125	Security level A/S1
24/25	<b>HARTMANN Weapons room doors</b>	
25	<b>HARTMANN Room-in-room systems</b>	
<b>HARTMANN Exclusive Line</b>		
26/27	<b>HARTMANN Bullet-proof glass gun cabinets</b>	
28	<b>HARTMANN Bullet-proof glass gun safes</b>	
29	<b>HARTMANN Bullet-proof glass cabinets /Bullet-proof glass safes</b>	
30/31	<b>HARTMANN Solid wood gun safes</b>	
32	<b>HARTMANN Vehicle gun cabinets</b>	
33	<b>HARTMANN Accessories</b>	
34/35	<b>HARTMANN Special gun safes</b>	
36/37	<b>HARTMANN Locking technology</b>	
38-43	<b>HARTMANN Product overview</b>	
44	<b>Transport questionnaire</b>	
45	<b>Fax request form</b>	
46	<b>Excerpt from German Weapons Act</b>	
47	<b>References</b>	

## HARTMANN TRESORE AG

is a modern company that has grown from a long tradition of craftsmanship. The original smithy and cartwright business "Schmiede und Stellmacherei Hartmann" was founded in Westphalia more than 150 years ago. In 1983, Christoph and Heinrich Hartmann founded safe construction specialists HARTMANN TRESORE, a company that lives up to all the requirements of a long-standing tradition. Innovation and professional expertise – a combination you can rely on. HARTMANN – high performance founded on experience. We are proud to say that the company is still run by the family.

### Security with a system

For the security of your valuables, we offer not just a safe, but a comprehensive security package.



### Our Security Package for you:

#### Quality

Our safes are characterised by the high quality of the materials used in their manufacture and the precision with which they are made; all safes comply with the stringent German safety requirements of the VDMA (German Engineering Association), VdS GmbH (a subsidiary of the German Insurance Association), and ESSA in accordance with EURO standards – highly significant for you where insurance cover is concerned. For us, delivering high quality is a fundamental requirement!

#### Service

There is no such thing as "no can do!" This motto has a tradition within the company. The purchase of any security system requires individual and discreet advice, consultation and customer care. We take this obligation seriously! We are your competent partner – from the initial consultation (without obligation) right up to the complete planning and implementation process. Our customer care service will continue to help and support you long after you have made your purchase.

#### Price-Performance Ratio

Our aim is to offer you an optimum price-performance ratio, so we pay particular attention to price-conscious purchasing and rational manufacture of our safes without compromising our high quality standards. Security and reliability at a fair price!

Call us or visit one of our showrooms.

### At your side with security!

Recommended by the  
Federal Association of German  
Professional Hunters



**HARTMANN TRESORE**  
is official supplier  
to the Deutscher  
Schützenbund and  
its national team





## Tested Security

Our weapons cabinets and safes fulfil the strict German security standards and European norms. They are tested by recognized, independent test institutes for burglary and fire protection and carry the appropriate test labels.



## Security levels and resistance grades

Security level / Resistance grade	Short description	Safety feature	Insurance rating* in €
<b>Security level A</b> in accordance with VDMA 24992**	Door double-walled, corpus single-walled	Limited burglary protection	Private €1,000 Commercial €2,500
<b>Security level S1</b> in accordance with EN 14450	Door double-walled, corpus single-walled and bolt locking device	Tested burglary protection	Private €5,000 Commercial €2,500
<b>Security level B</b> in accordance with VDMA 24992** Fire protection DIN 4102***	Door and corpus double- or triple-walled, all-round fire fold	Limited burglary protection, fire protection	Private €1.000,- (some insurance companies up to €10,000) Commercial €2,500
<b>Security level S2</b> in accordance with EN 14450	Door double-walled, corpus generally double-walled	Tested burglary protection	Private €30,000 Commercial €2,500
<b>Resistance grade N (0)</b> in accordance with EN 1143-1 <b>LFS 30 P</b> in accordance with EN15659***	Door and corpus multi-walled, all-round fire fold	Tested burglary protection, guaranteed resistance unit RU 30/30	Private €40,000 Commercial €10,000
<b>Resistance grade I</b> accordance with EN 1143-1 <b>LFS 30 P</b> in accordance with EN15659***	Door and corpus multi-walled, door special filling, all-round fire fold	Tested burglary protection, resistance unit RU 30/50	Private €65,000 Commercial €20,000
<b>Resistance grade I</b> accordance with EN 1143-1 <b>S 60 P</b> in accordance with EN15659***	Door and corpus multi-walled, with special filling, multiple fire fold	Tested burglary protection, fire protection S 60 P	Private €65,000 Commercial €20,000
<b>Resistance grade I</b> accordance with EN 1143-1 <b>S 120 P</b> in accordance with EN15659***	Door and corpus multi-walled, with special concrete filling, multiple fire fold	Tested burglary protection, fire protection S 120 P	Private €65,000 Commercial €20,000 + against fires
<b>Resistance grade II</b> accordance with EN 1143-1 <b>S 60 P</b> in accordance with EN15659***	Door and corpus multi-walled, with special filling, multiple fire fold	Tested burglary protection, fire protection S 60 P	Private €100,000 Commercial €50,000 + against fires
<b>Resistance grade II</b> accordance with EN 1143-1 <b>S 120 P</b> in accordance with EN15659***	Door and corpus multi-walled, with special concrete filling, multiple fire fold	geprüfter Einbruchschutz, geprüfter Feuerschutz S 120 P	Private €100,000 Commercial €50,000 + against fires

\* Sources: VdS 0961, VdS 2333 and VdS 3134. The insurance sums are non-binding guide values for Germany. \*\* Status 05/95 \*\*\* depending on series

## Fire protection and fire security

A steel cabinet with security level A offers more protection than a wardrobe, for example. In cabinets with security level B (double-walled), the fire insulation in accordance with DIN 4102 reduces heat development in the safe.

## Fire-protected safes in accordance with EN 15659 (light fire-proof cabinets)

protect documents and valuables from heat for an exposure time of 30 or 60 minutes (LFS 30 P or LFS 60 P). Therefore, the requirements of both of these fire grades are lower than S 60 P according to EN 1047-1.

## Fire-proof safes in accordance with EN1047-1

protect the contents from fire, smoke and extinguishing water for 60 or 120 minutes. They have to pass the strictest of all fire tests at the Institute of Material Testing at the University of Braunschweig (MPA). For this test, the safe is heated to a temperature of 1090°C for 60 or 120 minutes and then dropped onto a bed of gravel from a height of 9.15 m. This is equivalent to a fall from the third floor of a burning building. The temperature inside the safe is only permitted to rise by a certain number of degrees during the test.



Safe after flame treatment



Fall from a height of 9.15 m

**Security level A** according to VDMA 24992\*\*

**All models available in S1  
tested and certified  
in accordance with EN 14450**



WT 080-02



WT 080-04



WT 080-03



WT 080-06

**Ideal for sports marksmen**

**HARTMANN TRESORE**  
is official supplier  
to the **Deutscher  
Schützenbund** and  
its national team



DEUTSCHER SCHÜTZENBUND E.V.



WS 120-02



WS 120-04

## HARTMANN Rifle cabinets Series WT 080

Insurance rating private up to €1,000\*, commercial up to €2,500\*

For the secure storage of your rifles

**Security level A** in accordance with VDMA standard form 24992\*\*

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WT 080-01	1350 x 230 x 320	1344 x 224 x 257	50	1230	100	3
WT 080-02	1400 x 250 x 320	1394 x 244 x 257	54	1230	160	5 (2/3)
WT 080-03	1400 x 320 x 320	1394 x 314 x 257	62	1230	160	7 (3/4)
WT 080-04	1400 x 480 x 320	1394 x 474 x 257	87	1230	160	7 (3/4)
WT 080-06	1400 x 640 x 320	1394 x 634 x 257	107	1230	160	7 (3/4)

Single-walled steel cabinet. Door and corpus 3 mm steel. Door double walled. 3-sided bolt locking device. As the rifles are placed one behind the other, those at the front must be removed to allow access to the rifles at the back.

## HARTMANN Rifle cabinets Series WS 120

Insurance rating private up to €1,000\*, commercial up to €2,500\*

Special Rifle cabinets for sports marksmen

**Security level A** in accordance with VDMA standard form 24992\*\*

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WS 120-02	1406 x 380 x 366	1400 x 374 x 294	83	1400	150 <sup>1</sup>	5
WS 120-04	1406 x 640 x 366	1400 x 634 x 294	122	1400	150 <sup>1</sup>	7+3 <sup>2</sup>

Single-walled steel corpus. Door double walled. Door leaf 6 mm solid steel. Drill-proof plate in locking device area. Bolt locking device. Rear wall rifle stands are detachable to allow storage of hard or soft gun cases. 3 detachable storage boxes on door allow cabinet depth to be increased. WS 120-04 with dividing wall that can be removed by unscrewing. Options: <sup>1</sup> Interior safe <sup>2</sup> additional stand for 3 rifles may be mounted instead of shelves.



**All models available in S1  
tested and certified  
in accordance with EN 14450**

## HARTMANN Rifle cabinets Series WT 100

with double-walled interior safe of security level B

Insurance rating private up to €1,000\*, commercial up to €2,500\*

For secure storage of your long and short weapons in the interior safe compartment

Security level A in accordance with VDMA standard form 24992\*\*

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WT 100-02	1400 x 350 x 350	1394 x 344 x 278	85	1230	170	6
WT 100-04	1400 x 500 x 350	1394 x 494 x 278	105	1230	170	8
WT 100-06	1400 x 700 x 350	1394 x 694 x 278	135	1230	170	12
WT 100-07	1500 x 550 x 350	1494 x 544 x 278	140	1230	260	6

Single-walled steel cabinet. Corpus 3 mm steel. Door double walled. Door leaf 6 mm solid steel. 3-sided bolt locking device, bolt diameter 25 mm. Interior safes all in security level B, double walled: door and corpus 30 mm thick. Double-bit security lock with 2 keys.

Available on request:  
lockable interior compart-  
ment fitted to door opposite  
weapons compartment.



### Our advice on locking:

Our cabinets are fitted with high-security VdS-tested double-bit locks. 2 keys included.

### Advantage:

Clearly defined, significantly higher security in the lock area.

### Disadvantage:

If keys are lost or mislaid, the entire lock must be replaced!

### Our advice:

Have an electronic locking system fitted to your safe so that you are no longer dependent on keys. The door can be opened easily and quickly at any time by simply entering your numerical code.

### Special features / lock variants

- Mechanical number combination lock
- Electronic combination/keypad lock
- Electronic lock with fingerprint scanner



WT 100-02



WT 100-04

With interior safe of  
security level B



WT 100-06



WT 100-07

**Security level A** according to VDMA 24992\*\*

**All models available in S1 tested and certified in accordance with EN 14450**



WT 101-01

WT 101-02

WT 101-04

## HARTMANN Rifle cabinets Series WT 101

with double-walled interior safe of security level B

Insurance rating private up to €1,000\*, commercial up to €2,500\*

The solution for secure storage of your long and short weapons. This series offers you a rifle cabinet with a large double-walled interior safe of security level B as standard equipment, so it is suitable for short weapons. From model WT 101-04, even files and collector's albums can also be stored conveniently and securely.

WT 101-04 and WT 101-05 have a detachable partition wall to increase the space for weapons storage.

**Security level A** in accordance with VDMA standard form 24992\*\*

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WT 101-01	1600 x 400 x 350	1594 x 394 x 278	100	1294	300	6
WT 101-02	1600 x 550 x 350	1594 x 544 x 278	130	1294	300	8
WT 101-04	1700 x 600 x 400	1694 x 594 x 328	160	1270	420	5/9
WT 101-05	1700 x 800 x 400	1694 x 794 x 328	222	1270	420	8/12

Single-walled steel cabinet. Corpus 3 mm steel. Door double walled, 60 mm thick. Door leaf 6 mm solid steel. Bullet-proof plate in locking device area. 3-sided bolt locking device, each bolt with a diameter of 25 mm. Interior safe height in WT 101-04 and WT 101-05 as high as 420 mm (file height!), Interior safe of security level B as standard equipment. Door and corpus of interior safe 30 mm thick, with special fire protection insulation. Double-bit security lock with 2 keys.



WT 101-05

**WT 101-04 /-05 with 400 mm high interior safe of security level B**

## HARTMANN Rifle cabinets Series WT 101/SM

Security level A in accordance with VDMA 24992

Insurance rating private up to €1,000\*, commercial up to €2,500\*

Rifle cabinets especially for sports marksmen

**Security level A** in accordance with VDMA standard form 24992\*\*

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WT 101-04 SM	1700 x 600 x 400	1694 x 594 x 328	160	1270	420	5/9

WT 101-04 SM see description WT 101-04

For fast, easy access: large interior safe with ample space for short weapons and/or ammunition in lower section!

**Ideal for sports marksmen**



WT 101-04 SM

**with 400 mm high interior safe of security level B in lower section**

**WT 101-04 SM: Ideal for sports marksmen!**

**HARTMANN TRESORE**  
is official supplier  
to the Deutscher  
Schützenbund and  
its national team



**All models available in S2**  
 tested and certified  
 in accordance with EN 14450

## HARTMANN Furniture rifle cabinets Series WT 083

Door and corpus double-walled – fire protection insulation

Insurance rating private up to €1,000\*, commercial up to €2,500\*

The WT 083 series is available as a furniture safe. It is a lightweight construction weighing less than 200 kg. You not only purchase a product with tried and tested HARTMANN quality, but also enjoy the full benefit of our service and guarantees, without paying more than you would for a product from a so-called “low-budget” supplier. Here, too, we have made sure to offer you a rifle cabinet with an interesting interior. The series WT 083 was designed to be built into furniture. You can decide whether to use the safe exclusively as a rifle cabinet, or convert the shelf section into additional storage space for important documents. Only a few simple operations are required to reconfigure your WT 083-02. The various configuration possibilities are included in the delivery scope.

Security level B acc. to VDMA standard form 24992\*\*, fire protection acc. to DIN 4102

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WT 083-01	1500 x 425 x 380	1440 x 365 x 300	101	1240	200	6
WT 083-02	1500 x 500 x 390	1440 x 440 x 300	137	1240	200	5/8
WT 083-09	1600 x 550 x 390	1540 x 490 x 300	130	1330	200	9
WT 083-10	1600 x 550 x 390	1540 x 490 x 300	155	1330	200	6/9

Double-walled steel cabinet. Corpus 30 mm, door 50 mm, door leaf solid steel, drill-proof, bullet-proof plate in the lock area. Special bolt locking device.

Door opening angle: 90°.

WT 083-02 with 5 rifle stands, partition wall and 3 shelves, can be converted to 8 rifle stands.

Partition wall fixed.

WT 083-10 with 6 or 9 rifle stands. Interior safe 200 mm high with cylinder lock.



WT 083-01



WT 083-02

**WT 083-02**  
 with variable  
 interior configuration  
 with 5 + 3 rifle stands

### Also ideal for sports marksmen:

- Security level B
- Small exterior dimensions save space
- Low weight allows installation in almost any conventional cupboard
- Large interior safe for short weapons ammunition

**HARTMANN TRESORE**  
 is official supplier  
 to the **Deutscher  
 Schützenbund** and  
 its national team



DEUTSCHER SCHÜTZENBUND E.V.

- **Special features / lock variants**
- Mechanical number combination lock
- Electronic combination/keypad lock
- Electronic lock with fingerprint scanner



WT 083-10



WT 083-09

**Security level B** according to VDMA 24992\*\*

*Ideal for sports marksmen*

**All models available in S2  
tested and certified  
in accordance with EN 14450**

## HARTMANN Rifle cabinets Series WS 140

Insurance rating private up to €1,000\*, commercial up to €2,500\*

For the secure storage of your sporting long weapons and hard and soft gun cases.

**Security level B** in accordance with VDMA standard form 24992\*\*

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WS 140-01	1520 x 350 x 420	1400 x 230 x 290	104	1400	150 <sup>1</sup>	4
WS 140-02	1520 x 470 x 420	1400 x 350 x 290	129	1400	150 <sup>1</sup>	6

Double-walled door and corpus. Door leaf 6 mm solid steel. Drill- and bullet-proof plate in lock area. Bolt locking system. Internal door hinges. Double-bit security lock with 2 keys. Modular interior construction: detachable rifle stands on rear wall, 3 removable door storage compartments. Options<sup>1</sup>: interior safe



WS 140-01

Illustration: with interior safe

**With generous interior depth  
e.g. for gun case storage**



WS 140-02

Illustration: with interior safe

**HARTMANN TRESORE**  
is official supplier  
to the Deutscher  
Schützenbund and  
its national team



DEUTSCHER SCHÜTZENBUND E.V.





All models available in S2 tested and certified in accordance with EN 14450

## HARTMANN Rifle cabinets Series WT 084

Door and corpus double-walled - fire protection insulation

Insurance rating private up to €1,000\*, commercial up to €2,500\*

This series dispenses with unnecessary extras, but VDMA requirements are fulfilled and you pay a minimal price for a "security level B" cabinet. You not only purchase a product with tried and tested HARTMANN quality, but also enjoy the full benefit of our service and guarantees, without paying more than you would for a product from a so-called "low-budget" supplier. Here, too, we have made sure to offer you a rifle cabinet with an interesting interior. model WT 084-04 is a prime example of how to provide a variable division of space.

All possible variants are included in the delivery scope.

Not included, but well worth considering as a useful addition: our electronic lock, which also represents excellent value for money.

Security level B in accordance with VDMA standard form 24992\*\*, fire protection in accordance with DIN 4102

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WT 084-01	1500 x 415 x 410	1380 x 295 x 280	200	1230	150	5
WT 084-02	1500 x 530 x 410	1380 x 410 x 280	200	1230	150	7
WT 084-03	1500 x 650 x 410	1380 x 530 x 280	200	1230	150	9
WT 084-04	1500 x 810 x 430	1380 x 690 x 300	200	1230	150	4/8/12
WT 084-05	1500 x 510 x 410	1380 x 390 x 280	200	1230	150	7

Double-walled steel cabinet. Corpus and door double walled, 60 mm thick. Door leaf made of 4 mm solid steel. Drill- and bullet-proof plate in the lock area. Bolt locking device. Door opening angle 90°. Interior safe height 150 mm.



WT 084-04 with 4 plus 8 rifle stands and 3 or 6 shelves. Included in delivery scope are 2 rails, one with 4 and the other with 8 rifle stands that can easily be attached to the rear wall, and a total of 6 shelves. The partition is fixed. Various options are possible for an individual division of space (see illustration below).

All models with 200 kg net weight. Licensed for free-standing installation without additional anchorage!


**WT 084-04 - hardly any other is more variable!**



WT 084-04



WT 084-02



WT 084-03



WT 084-05

- **Special features / lock variants**
- Mechanical number combination lock
- Electronic combination/ keypad lock
- Electronic lock with fingerprint scanner

**WT 084-04**  
4 cabinets in one!

**Security level B** according to VDMA 24992\*\*

All models available in S2  
tested and certified  
in accordance with EN 14450

**WT 200-02**  
with detachable  
partition wall, extendable  
to 10 rifle stands



WT 200-01



WT 200-02

**WT 085-02**  
with 3 separate  
interior safes, each  
360 mm high



WT 085-02



WT 085-10



WT 085-12

## HARTMANN Rifle cabinets Series WT 200

Door and corpus double-walled - fire protection insulation  
Insurance rating private €1,000\* and commercial €2,500\*

Low exterior depth, so the cabinet is very easy to install in a cupboard.

The WT 200-02 has a holder with 5 rifle stands fixed to the rear wall, a second holder and 3 loose shelves are also included. The shelf section offers you storage space for valuable files, important documents and, of course, for your valuable weapons.

Extend your rifle cabinet by fitting the second rifle stand.

Security level B in accordance with VDMA standard form 24992\*\*, fire protection in accordance with DIN 4102

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WT 200-01	1600 x 470 x 450	1480 x 350 x 320	205	1230	250	6
WT 200-02	1600 x 705 x 450	1480 x 585 x 320	210	1230	250	5/10

Double-walled steel cabinet. Corpus and door double-walled, 60 mm thick. Fire protection insulation. Door leaf made of 6 mm solid steel. Drill- and bullet-proof plate in the lock area. 3-sided bolt locking device. Door opening angle 90°. Interior safe height 250 mm.

WT 200-02 with detachable partition wall and 3 shelves.

## HARTMANN Rifle cabinets Series WT 085

Door and corpus double-walled - fire protection insulation  
Insurance rating private up to €1,000\*, commercial up to €2,500\*

WT 085-10 with many extras. You can either use your cabinet as a combined weapons cabinet and file safe with fire protection insulation that offers good fire protection, or you can remove the shelves and extend the space for your rifle collection by another four spaces. WT 085-02 similarly equipped with many extras.

Security level B in accordance with VDMA standard form 24992\*\*, fire protection in accordance with DIN 4102

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WT 085-02	1750 x 800 x 500	1630 x 680 x 370	245	1270	2x 370 1x 360	8
WT 085-10	1600 x 750 x 430	1480 x 630 x 300	200	1230/1330	1x 150 1x 250	6/10
WT 085-12	1600 x 1200 x 500	1480 x 1080 x 370	320	1230	2 x 250	12/18

Double-walled steel cabinet. Door and corpus 60 mm thick. Door leaf made of 4 mm solid steel. Bullet-proof plate in lock area. Door opening angle 90°. Fire fold. Fire protection insulation.

WT 085-10 with partition wall, 3 shelves and rail with 4 additional rifle stands. 2 interior safes: height 150 mm and 250 mm. 3 door compartments.

WT 085-02 with 3 interior safes, separately lockable, each 360 mm high (A4 file height). 3 shelves and 3 door compartments.

WT 085-12 has double doors, with shelf section 400 mm wide.

### Special features / lock variants

- Mechanical number combination lock
- Electronic combination/keypad lock
- Electronic lock with fingerprint scanner

## HARTMANN Rifle cabinets Series WT 087

Door and corpus double-walled - fire protection insulation

Insurance rating private up to €1,000\*, commercial up to €2,500\*

Security level B in accordance with VDMA standard form 24992\*\*, fire protection in accordance with DIN 4102

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WT 087-01	1650 x 770 x 500	1530 x 650 x 335	243	1330	2x 200	7/11
WT 087-02	1650 x 1260 x 600	1530 x 1140 x 440	379	1330	2x 360 1x 200	16
WT 087-03	1500 x 700 x 500	1380 x 580 x 335	200	1230	150	13
WT 087-04	1500 x 700 x 500	1380 x 580 x 335	205	1230	150	6
WT 087-07	1650 x 640 x 500	1530 x 520 x 335	205	1280	250	8
WT 087-08	1600 x 990 x 550	1480 x 870 x 385	273	1280	2x 200	15/19
WT 087-09	1600 x 990 x 550	1480 x 870 x 385	279	1280	200	12/16
WT 087-10	1650 x 900 x 500	1530 x 780 x 335	260	1330	2x 200	18
WT 087-11	1650 x 900 x 500	1530 x 780 x 335	290	1330	2x 200	14/18
WT 087-12	1520 x 500 x 500	1400 x 370 x 330	200	1250	150	6
WT 087-20	1650 x 770 x 600	1530 x 650 x 435	250	1320	2x 200	7/11
WT 087-22	1800 x 770 x 600	1680 x 650 x 435	280	1300	2x 370	7/11

Multi-walled safe. Especially strong construction. Corpus 60 mm, 3-walled door, 100 mm.

Lock area drill proof. 3-sided bolt locking device, with a rear grip band on the hinge side. Door opening angle 180°. All-round fire fold. Fire protection insulation.

WT 087-01: 7 rifle stands + 3 shelves, partition wall, rifle stand rail with 4 additional stands.

WT 087-02: 2 safe doors that close separately! Left safe: 16 rifle stands, of which 9 are on the rear wall and 7 on the swivel wall. 1 interior safe 200 mm. Right safe: 3 shelves, 2 separate interior safes of A4 file height, each 360 mm.

WT 087-03: 9 rifle stands on rear wall, 2 on left and right respectively.

WT 087-04: 6 rifle stands on rear wall, partition wall, space for 3 shelves on right.

WT 087-08: 15 stands on rear wall, 2 on each side wall.

WT 087-09: 10 rifle stands on rear wall, 2 on left side wall, partition wall, space for 3 shelves or 4 more rifle stands on right.

WT 087-10: 14 rifle stands on rear wall, 2 on left and right respectively.

WT 087-11: as WT 087-10, but with detachable partition wall and 3 shelves

All models available in S2 tested and certified in accordance with EN 14450

**WT 087-20/-22**  
also available as a swivel-wall safe with up to 20 rifle stands



WT 087-01



with 3 separate interior safes


WT 087-02



WT 087-12

- Special features / lock variants
- Mechanical number combination lock
- Electronic combination/ keypad lock
- Electronic lock with fingerprint scanner

includes cleaning brush stand and 3 door compartments



WT 087-11

WT 087-10



WT 087-04

WT 087-03

## Resistance grade N (0)

Now also with fire protection rating LFS 30 P  
tested and certified in accordance with EN 15659

## HARTMANN Rifle safes Series WT 250

with VdS test label. Four-walled door and corpus

Insurance rating private up to €40,000\*, commercial up to €10,000\*



WT 250-08

**Resistance grade N (0)**  
in accordance with EN 1143-1, VdS 2450



WT 250-07



WT 250-12

**New: Mini  
Vds N (0)  
safe**



WT 250-22

**WT 250-20 /-22**  
is available as swivel-wall safe  
with up to 20 rifle stands



WT 250-10



WT 250-24



WT 250-09

**WT 250-02.1 / .2**  
Options available:  
bolted or welded version



WT 250-02.1/.2

**HARTMANN Rifle safes Series WT 250**

with VdS test label. Four-walled door and corpus

Insurance rating private up to €40,000\*, commercial up to €10.000\*

HARTMANN Rifle cabinets comply with the legal requirements. The tried and tested construction series WT 087 (security level B) is now also available as series WT 250 in class N (0) with the VdS test label. Interior and exterior dimensions stay the same, whereas the weights increase because of the reinforced wall and door construction. Many extras make these series even more attractive, such as external door hinges that facilitate door removal, thus easing transport over steps and removals in general (especially in the case of the 2-door versions).

with a door thickness  
of 105 mm

WT 250-01



WT 250-01



WT 250-04

**Resistance grade N (0) in accordance with EN 1143-1, VdS 2450**

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Height (in mm)	Rifle stands	Interior safes	Shelves
WT 250-01	1650 x 770 x 500	1510 x 645 x 330	340	1330	7/11	2 x 200	3
WT 250-02.1/2	1650 x 1350 x 600	à 1510 x 550 x 440	à 342,5	1330	9/7	200/ 2x 370	4
WT 250-03	1500 x 700 x 500	1360 x 575 x 330	290	1230	13	150	-
WT 250-04	1500 x 700 x 500	1360 x 575 x 330	290	1230	6	150	3
WT 250-07	1650 x 640 x 500	1510 x 515 x 330	295	1280	8	250	1
WT 250-08	1600 x 990 x 550	1460 x 865 x 380	430	1280	19	2x 200	-
WT 250-09	1600 x 990 x 550	1460 x 865 x 380	450	1280	12/16	200	3
WT 250-10	1650 x 900 x 500	1510 x 775 x 330	370	1330	18	2x 200	-
WT 250-11	1650 x 900 x 500	1510 x 775 x 330	377	1330	12/18	2x 200	3
WT 250-12	1520 x 500 x 500	1400 x 370 x 330	232	1250	6	150	-
WT 250-20	1650 x 770 x 600	1510 x 645 x 430	365	1320	7/11	2x 200	3
					Rifle stands with small swivel wall with/without shelf section:	12/16	
					Rifle stands with large swivel wall:	20	
WT 250-22	1800 x 770 x 600	1710 x 645 x 430	420	1300	7/11	2x 370	3
					Rifle stands with small swivel wall with/without shelf section:	12/16	
					Rifle stands with large swivel wall:	20	
WT 250-24	1500 x 750 x 500	1360 x 625 x 330	300	1380	9	-	3

Multi-walled safe. Especially strong construction. Corpus 60 mm, 3-walled door, 105 mm. Lock area drill proof. 3-sided bolt locking device, with a rear grip band on the hinge side. Door opening angle 180°. All-round fire fold. Fire protection insulation DIN 4102. **WT 250-01:** 7 rifle stands + 3 shelves, partition wall, additionally: 4 more rifle stands. 2 interior safes, each 200 mm. **WT 250-02:** 2 separately closing safe doors, left safe: 16 rifle stands, of which 9 on rear wall and 7 on swivel wall. Interior safe 200 mm. Right safe: 3 compartment shelves, 2 separate interior safes of DIN A4 file height, each 360 mm. **WT 250-08:** 15 stands on rear wall, 2 each on side walls. **WT 250-09:** 10 rifle stands on rear wall, 2 on left side wall, partition wall, space for 3 compartment shelves or 4 more rifle stands on right. **WT 250-10:** 14 rifle stands on rear wall, 2 each on left and right. **WT 250-11:** as WT 250-10, but with detachable partition wall and three shelves. **WT 250-24:** with 9 rifle stands, height-adjustable compartment shelves above the weapons section and spacious shelf section with 3 adjustable compartment shelves; 3 door compartments and cleaning brush stand.

- Special features / lock variants
- Mechanical number combination lock
- Electronic combination/keypad lock
- Electronic lock with fingerprint scanner

Resistance grade N (0)  
in accordance with EN 1143-1, VdS 2450

## Resistance grade N (0)

Ideal for sports marksmen

Now also with fire protection rating LFS 30 P tested and certified in accordance with EN 15659

## HARTMANN Rifle safes Series WS 160

Insurance rating private up to €40,000\*, commercial up to €10,000\*

For the secure storage of your sporting long weapons and hard and soft gun cases

Resistance grade N (0) in accordance with EN 1143-1, VdS 2450

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WS 160-02	1520 x 500 x 500	1381 x 376 x 330	245	1381	150 <sup>1</sup>	5
WS 160-03	1520 x 620 x 500	1381 x 496 x 330	280	1381	150 <sup>1</sup>	5+3 <sup>2</sup>
WS 160-04	1520 x 750 x 500	1381 x 656 x 330	315	1381	150 <sup>1</sup>	7+4 <sup>2</sup>

Multi-walled corpus, 3-walled door, total door thickness 105 mm, door opening angle 180°. Drill- and bullet-proof plate in lock area. Bolt locking system. Interior hinges. Double-bit security lock with 2 keys. Modular interior construction: detachable rifle stands on rear wall, 3 removable door storage compartments. WS 160-03/-04: detachable partition wall, 3 height-adjustable shelves. Options: <sup>1</sup>interior safe, <sup>2</sup>additional hook-in rifle stands for 3 or 4 weapons instead of shelves.



Illustration: with interior safe

WS 160-02



Illustration: with interior safe

WS 160-03



Illustration: with interior safe

WS 160-04

with extra-large  
internal depth  
e.g. for gun case storage

**HARTMANN TRESORE**  
is official supplier  
to the **Deutscher  
Schützenbund** and  
its national team



DEUTSCHER SCHÜTZENBUND E.V.

- Special features / lock variants
- Mechanical number combination lock
- Electronic combination/keypad lock
- Electronic lock with fingerprint scanner

**HARTMANN Rifle safes Series WTS**

with VdS test label. Door four-walled and corpus triple-walled – fire protection insulation  
Insurance rating private up to €40,000\* and commercial up to €10,000\*

The new generation of rifle safes!

The VdS standard guarantees defined security. Thorough testing and rigorous simulated burglary attempts are carried out VdS Schadenverhütung GmbH testing institute before production, which is in turn also subjected to constant external quality control. The series WTS 1204 to WTS 1504 are characterised by their particularly strong construction. The 125 mm thick four-walled special door and triple-walled corpus guarantee the highest level of security. Heat-resistant wall filling material in accordance with DIN 4102.

**Resistance grade N (0) in accordance with EN 1143-1, VdS 2450**

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WTS 1102	1600 x 700 x 540	1450 x 550 x 340	300	1450	-	6/9
WTS 1204	1500 x 550 x 500	1350 x 400 x 300	230	1200	150	7
WTS 1304	1500 x 750 x 550	1350 x 600 x 350	300	1200	150	7/10
WTS 1404	1700 x 750 x 550	1550 x 600 x 350	330	1200	350	7/10
WTS 1504	1650 x 800 x 540	1500 x 650 x 340	330	1250	2 à 250	8/11

Steel cabinet with triple-walled corpus and integrated slot profile reinforcements. 4-walled door, 125 mm thick. Bullet-proof plates in the lock area provide additional security. Bolt locking device. Door opening angle 180°. 1 interior safe with a height of 150 mm. Cleaning rod stand. WTS 1102 with 4 height-adjustable shelves, 3 door storage compartments and cleaning rod stand. The partition wall is welded. WTS 1304/1404 with 7 plus 3 rifle stands and 3 adjustable compartment shelves, 2 rails with 7 and 3 rifle stands respectively, which can easily be fixed to the rear wall, and a total of three shelves are included in delivery. The partition wall can be detached by unscrewing. This rifle safes also have 3 door storage compartments and a cleaning rod stand. Floor anchoring kit. WTS 1504 with 8 plus 3 rifle stands and 2 separately lockable interior safes, all other features as models WTS 1304/1404



WTS 1504



WTS 1204

WTS 1102



WTS 1304

- Special features / lock variants
- Mechanical number combination lock
- Electronic combination/keypad lock
- Electronic lock with fingerprint scanner

## HARTMANN Rifle safes Series WT 285

Insurance rating private up to €65,000\*, commercial up to €20,000\*

For especially demanding security requirements!

The model series WT 285 is a particularly strong construction with an extra thick door and walls. An additional swivel wall allows upgrading of the safe to as many 19 rifle stands.



WT 285-12

### Resistance grade I in accordance with EN 1143-1, Vds 2450

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands	
WT 285-12	1580 x 780 x 630	1430 x 630 x 420	415	1250	180	6/10	
						Rifle stands with swivel wall with/without shelf section:	+5/+9
WT 285-14	1880 x 780 x 630	1730 x 630 x 420	450	1330	400	6/10	
						Rifle stands with swivel wall with/without shelf section:	+5/+9

Fortified cabinet, multi-walled construction throughout. Special filling. Door thickness 125 mm. 3-sided bolt locking device, bolt diameter 35 mm, newly developed rear grip bolts, side walls 75 mm. High security lock. Protruding fittings, external door hinges, door opening angle 180°. The extremely thick wall and door constructions mean correspondingly larger external dimensions.

WT 285-12 with interior safe 180 mm high. WT 285-14 with 400 mm high interior safe.

WT 285-12 and WT 285-14 with detachable partition wall for retrofitting of additional rifle storage space. Can be upgraded to +5/+9 rifle stands with additional swivel wall. Floor anchoring kit.

- **Special features / lock variants**
- Mechanical number combination lock
- Electronic combination/keypad lock
- Electronic lock with fingerprint scanner



**WT 285**  
with special 4-walled door  
125 mm thick!

Bolt thickness 35 mm



WT 285-14

**WT 285-12 /-14**  
available as swivel-wall safe with  
up to 19 rifle stands





## Resistance grade I

Now also with fire protection rating LFS 30 P tested and certified in accordance with EN 15659

### HARTMANN Rifle safes Series WT 270

Insurance rating private up to €65,000\*, commercial up to €20,000\*

The new generation of rifle safes!

The VdS standard guarantees defined security. Thorough testing and rigorous simulated burglary attempts are carried out VdS Schadenverhütung GmbH testing institute before production, which is in turn also subjected to constant external quality control.

The series WT 270 is renowned for fulfilling these particularly stringent security requirements. The dimensions (and external appearance) of this series are identical to series WT 087 (security level B) and WT 250 (resistance grade N (0)), but the products are heavier.

#### Resistance grade I in accordance with EN 1143-1, VdS 2450

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Height (in mm)	Rifle stands	Interior safes	Shelves
WT 270-01	1650 x 770 x 500	1511 x 646 x 330	360	1310	2x 200	7/11	3
WT 270-02.1/2	1650 x 1350 x 600	à 1530 x 551 x 440	à 360	1310	200/ 2x 360	9/7	4
WT 270-03	1500 x 700 x 500	1411 x 576 x 330	310	1210	150	13	-
WT 270-04	1500 x 700 x 500	1361 x 576 x 330	320	1210	150	6	3
WT 270-07	1650 x 640 x 500	1511 x 516 x 330	320	1310	250	8	1
WT 270-08	1600 x 990 x 550	1461 x 866 x 380	450	1260	2x 200	19	-
WT 270-09	1600 x 990 x 550	1461 x 866 x 380	465	1260	200	12/16	3
WT 270-10	1650 x 900 x 500	1511 x 776 x 330	410	1310	2x 200	18	-
WT 270-11	1650 x 900 x 500	1511 x 776 x 330	415	1310	2x 200	12/18	3
WT 270-12	1520 x 500 x 500	1400 x 376 x 330	247	1250	150	6	-
WT 270-20	1650 x 770 x 600	1511 x 646 x 430	402	1310	2x 200	7/11	3
					Rifle stands with swivel wall with/without shelf section:	12/16	
					Rifle stands with large swivel wall:	20	
WT 270-22	1800 x 770 x 600	1676 x 646 x 430	445	1300	2x 370	7/11	3
					Rifle stands with small swivel wall with/without shelf section:	12/16	12/16
					Rifle stands with large swivel wall :	20	20

Multi-walled safe. Maximum-strength construction. Corpus 60 mm, 3-walled door, 105 mm thick. Lock area resistant to drilling, milling and cutting tools. 3-sided bolt locking device, solid rear grip band on the hinge side. Door opening angle 180°. All-round fire fold. Fire protection insulation. **WT 270-01:** 7 rifle stands, 3 compartment shelves, partition wall, 4 more stands on rails, 2 interior safes of 200 mm each. **WT 270-02:** 2 separately lockable safe doors! Left safe: 16 rifle stands, of which 9 are on the rear wall and 7 on the swivel wall. Interior safe 200 mm. Right safe: 3 shelves, separate interior safes of A4 file height, 360 mm. **WT 270-08:** 15 rifle stands on rear wall and 2 on each side wall. **WT 270-09:** 10 rifle stands on rear wall, 2 on left side wall, detachable partition wall, space for 3 compartment shelves or 4 more rifle stands on right. **WT 270-10:** 14 rifle stands on rear wall, 2 each left and right. **WT 270-11:** as WT 270-10, but with detachable partition wall and 3 shelves.

Door thickness 105 mm!



WT 270-01

Illustration: with optional features

New:  
mini VdS I  
cabinet



WT 270-12

Extra-strong rear grip band for door security

**WT 270-20 /-22**  
available as swivel-wall safe  
with up to 20 rifle stands



WT 270-01

Resistance grade I + II

S 60 P



WT 297-01  
WT 298-01

with  
tested fire  
protection

- Special features / lock variants
- Mechanical number combination lock
- Electronic combination/keypad lock
- Electronic lock with fingerprint scanner

Fire protection  
60 minutes



WT 297-01  
WT 298-01

## HARTMANN Rifle safes Series WT 297 / WT 298

WT 297: Insurance rating private up to €65,000\*, commercial up to €20,000\*

WT 298: Insurance rating private up to €100,000\*, commercial up to €50,000\*

HARTMANN TRESORE presents rifle cabinets that are VdS tested and fire protection tested. 2 security standards: tested protection against burglary and fire!

**Burglar-proof in accordance with VdS 2450. Resistance grade I and II**

Important: VdS-recognized safes must satisfy certain criteria (see page 3).

**Fire-proof quality grade S 60 P in accordance with EN 1047-1**

This safe series has passed the fire test of the Technical University of Braunschweig. This test begins with a flame test up to a max. temperature of 1090 °C for over 60 minutes, after which the safe is subjected to a drop test while still in a hot condition.

Resistance grade I in accordance with EN 1143-1, VdS 2450 + S 60 P in accordance with EN 1047-1

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WT 297-01	1510 x 705 x 470	1387 x 604 x 306	365	1217	170	6/11

Resistance grade II in accordance with EN 1143-1, VdS 2450 + S 60 P in accordance with EN 1047-1

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WT 298-01	1528 x 710 x 497	1389 x 586 x 320	520	1250	140	6/11

Reinforced cabinet, multi-walled and fireproof throughout. Solid door and corpus with special hard concrete filling, total door thickness 105 mm. 4-sided bolt locking device that engages in a high-security locking band. Special sealing strips against combustion gases, extinguishing water and heat development. 6 plus 5 rifle stands and 3 plus 3 shelves. Also included are 2 rails with 1 x 6 and 1 x 5 rifle stands that can easily be fixed to the rear wall, and a total of 6 shelves. The partition wall is fixed. There are various space division possibilities (see photos below). This cabinet is available in VdS class I + VdS class II. WT 297-01: interior safe 170 mm high. WT 298-01: interior safe 140 mm high.

## WT 297-01 and WT 298-01 Each cabinet with 4 possible variants

**HARTMANN Rifle safes Series WT 300/WT 310**

WT 300: Insurance rating private up to €65,000\*, commercial up to €20,000\*

WT 310: Insurance rating private up to €100,000\*, commercial up to €50,000\*

The new generation of reinforced cabinets!

The VdS standard guarantee: the safe is type-tested and has a precisely defined resistance value (RU = resistant unit). Before the safe prototype is accepted as compliant with the VdS standard, it is subjected to thorough testing and rigorous simulated burglary attempts at a testing institute of VdS Schadenverhütung GmbH. If and when the safe goes into serial production, it is subjected to constant external quality control.

VdS-recognized safes must fulfil the following requirements:

- Type testing at a VdS recognized testing institute
- Resistance to significantly more aggressive threat scenarios in accordance with Europe-wide guidelines
- Locking system with 50% higher resistance value
- Only tested, VdS-listed high-security locks may be fitted

Resistance grade I in accordance with EN 1143-1, VdS 2450 + S 120 P in accordance with EN 1047-1

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WT 300-05	1800 x 800 x 560	1508 x 654 x 331	730	1315	200	10
WT 300-06	1800 x 1400 x 550	1508 x 1254 x 321	1025	1315	2x 200	17

Resistance grade I in accordance with EN 1143-1, VdS 2450 + S 120 P in accordance with EN 1047-1

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Adjustable height (in mm)	Interior safe (Height in mm)	Rifle stands
WT 310-05	1811 x 821 x 573	1500 x 649 x 331	774	1293	200	10
WT 310-06	1821 x 1377 x 573	1505 x 1205 x 331	1139	1305	2x 200	17

Reinforced cabinet, entirely multi-walled. Solid door and corpus with special hard concrete filling. 4-sided bolt locking device with a total of 12 or 20 bolts that engage in a high-security locking band. Special sealing strips against combustion gases, extinguishing water and heat development.

**Tested fire protection****S 60 P and S 120 P in accordance with EN 1047-1**

Fireproof rifle cabinets passed as fireproof at the TU Braunschweig.

After a flame period of 60 or 120 minutes at a max. temperature of 1090°C, the safe is subjected to a drop test from a height of 9.15 m while still in a hot condition. Only when the prototype has passed the test is the safe series awarded the test label in accordance with EN 1047-1.

Fire protection  
120 minutesWT 300-05  
WT 310-05Tested fire  
protectionFire protection  
120 minutesWT 300-06  
WT 310-06



WTS 060-01

**HARTMANN Short weapons locker WTS 060-01**

The locker unit has 7 lockable compartments and 1 open compartment for the secure storage of short weapons and ammunition. The doors of the lockable compartments are fitted with double-bit security locks. The modular construction of the locker unit allows it to be extended by multiples of 7 compartments to 14, 21, 28, 35 etc.

The locker is not assigned to any security level and was conceived for use in buildings or sections of buildings with controlled access or appropriately secured armouries. If combined with or built into a certified safe, the system also provides legally compliant protection outside these areas.

**Short weapons locker unit**

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Compartments
WTS 060-01	1700 x 315 x 233	1680 x 300 x 220	60	7

Interior dimensions of compartments: 200 x 290 x 170 (H x B x T) mm



Locker units integrated in a certified gun safe

**WTS 060 Serie**  
for storage of  
several short weapons



## HARTMANN Short weapons cabinets Series K 102

Insurance rating private €1,000\* and commercial €2,500\*

Keep your handguns in the lockable interior safe, separate from your ammunition.

Security level B in accordance with VDMA standard form 24992\*\*, fire protection acc. to DIN 4102

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Interior safe (Height in mm)	Compartments
K 102-01	172 x 306 x 233	112 x 246 x 141	14	-	-
K 102-06 K	610 x 430 x 400	530 x 350 x 310	66	260	1
K 102-07 K	810 x 430 x 400	730 x 350 x 310	82	360	2
K 102-51 K	285 x 450 x 380	225 x 370 x 295	30	100	-

Double walled. Bolt locking device.

Door opening angle 90°.

Anchoring holes in rear wall and/or floor.



K 102-01

All models available in S2 tested and certified to EN 14450



K 102-51 K



K 102-07 K

All models available in S2 tested and certified to EN 14450

## HARTMANN Short weapons cabinets Series WS 145

Insurance rating private €1,000\* and commercial €2,500\*

Short weapons cabinets with extra depth for sporting pistols.

Security level B in accordance with VDMA standard form 24992\*\*, fire protection acc. to DIN 4102

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Gun stands	Compartments
WS 145-01	610 x 430 x 490	530 x 350 x 400	65	5	1
WS 145-02	810 x 430 x 490	730 x 350 x 400	80	5	1
WS 145-03	285 x 450 x 490	205 x 380 x 400	40	0	1

Construction: corpus and door double-walled, door leaf 3 mm solid steel, drill- and bullet-proof plate in lock area, bolt locking system. Fittings: internal hinges



WS 145-01

- Special features / lock variants
- Mechanical number combination lock
- Electronic combination/keypad lock
- Electronic lock with fingerprint scanner

## HARTMANN Short weapons safes Series WS 165

Insurance rating private €40,000\* and commercial €10,000\*

Short weapons and ammunition may be stored together in gun safes with resistance grade N (0). No interior safe for separate storage required!

Resistance grade N (0) in accordance with EN 1143-1, VdS 2450

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Gun stands/ compartments
WS 165-01	670 x 500 x 565	530 x 376 x 400	130	6/2
WS 165-01/12	670 x 500 x 565	550 x 376 x 400	130	12/2
WS 165-02	870 x 500 x 565	730 x 376 x 400	154	6/2
WS 165-02/12	870 x 500 x 565	730 x 376 x 400	154	12/3
WS 165-02/18	870 x 500 x 565	730 x 376 x 400	154	18/3

Construction: multi-walled corpus and door, door thickness 105 mm, all-round heavy armour plating, 4-sided bolt locking system, door with additional armouring plating to resist drilling, milling and cutting tools. Fittings: external door hinges, door opening angle 180°, double-bit security lock, 2 keys, fold-down rotating handle, special gun stands for short weapons up to 400 mm long. Optional: interior safe



WS 165-01



WS 165-02/18

New also in LFS 30 P tested & certified to EN 15659



HTI 116-12



HTI 116-14

Illustration: with optional features

**WS 175:**

- Tested fire protection
- Extra-solid 105 mm thick door
- Large door opening angle, 180°
- Generous interior depth allow storage of gun cases



WS 175-02/18

WS 175-02

**HARTMANN Short weapons safes Series HTI 116**

Insurance rating private up to €65,000\*, commercial up to €20,000\*

Flexible-configuration short weapons safe with resistance grade I for short weapons and ammunition.

**Resistance grade I in accordance with EN 1143-1**


Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Gun stands/ compartments
HTI 116-11	330 x 400 x 415	214 x 320 x 302	55	4/1
HTI 116-12	450 x 400 x 415	334 x 320 x 302	69	4 oder 8/1
HTI 116-13	570 x 400 x 415	454 x 320 x 302	81	4 oder 8/1
HTI 116-14	690 x 400 x 415	574 x 320 x 302	95	4, 8 oder 12/2
HTI 116-15	850 x 400 x 415	734 x 320 x 302	111	4, 8 oder 12/2

Construction: multi-walled corpus on all sides, 3-sided bolt locking mechanism, bolt diameter 25 mm, DIN right-hinged door, door opening angle 90°, floor and wall anchoring kit including fixing materials. Fittings: height-adjustable shelves (see table of dimensions), paint finish RAL 7035 light grey

<sup>1</sup> Optional: please state required quantity when ordering



Ammunition



Short weapons



Short weapons cases

**HARTMANN Short weapons safes Series WS 175**

Insurance rating private up to €65,000\*, commercial up to €20,000\*

Short weapons safes with resistance grade I and tested fire protection LFS 30 P

**Resistance grade I in accordance with EN 1143-1, VdS 2450**

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Gun stands/ compartments
WS 175-01	670 x 500 x 560	530 x 375 x 400	143	6/2
WS 175-01/12	670 x 500 x 560	530 x 375 x 400	143	12/2
WS 175-02	870 x 500 x 560	750 x 375 x 400	174	6/2
WS 175-02/12	870 x 500 x 560	750 x 375 x 400	174	12/3
WS 175-02/18	870 x 500 x 560	750 x 375 x 400	170	18/3

Construction: multi-walled corpus and door, door thickness 105 mm, all-round heavy armour plating, 4-sided bolt locking system, door with additional armouring plating to resist drilling, milling and cutting tools. Fittings: external door hinges, door opening angle 180°, double-bit security lock, 2 keys, fold-down rotating handle, special gun stands for short weapons up to 400 mm long. Optional: interior safe

**New also in LFS 30 P tested & certified to EN 15659**

- **Special features / lock variants**
- Mechanical number combination lock
- Electronic combination keypad lock
- Electronic lock with fingerprint scanner

**HARTMANN Ammunition cabinets Series WS 125**

Insurance rating private €1,000\* and commercial €2,500\*

Security level A in accordance with VDMA standard form 24992\*\*

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Height-adjustable shelves
WS 125-01	600 x 380 x 450	594 x 374 x 385	42	1
WS 125-02	600 x 640 x 450	594 x 634 x 385	61	1
WS 125-03	850 x 640 x 450	844 x 634 x 385	80	1
WS 125-04	1406 x 250 x 366	1400 x 244 x 298	81	3
WS 125-05	1406 x 380 x 370	1400 x 374 x 298	82	3
WS 125-06	1406 x 510 x 370	1400 x 504 x 298	104	3
WS 125-07	1406 x 640 x 366	1400 x 634 x 294	122	3

Construction: corpus single-walled, door double-walled, door leaf solid, drill- and bullet-proof plate in the lock area, bolt locking device. Fittings: interior door hinges, double-bit security lock, 2 keys, height-adjustable shelves. Optional: interior safe, electronic combination lock.

All models available in S1 tested and certified in accordance with EN 14450

**Series WS 125**  
For storage of your ammunition stocks



**HARTMANN TRESORE is official supplier to the Deutscher Schützenbund and its national team**

DEUTSCHER SCHÜTZENBUND E.V.



- Special features / lock variants
- Mechanical number combination lock
- Electronic combination keypad lock



Also available with fingerprint locking system



## HARTMANN Weapons room doors

provide optimum protection for entire rooms or sections of buildings. Wherever it is necessary to keep extensive large weapons collections or large amounts of ammunition securely and in compliance with legal requirements, gun rooms with appropriately tested doors are a convenient solution.

We supply doors of various dimensions and 4 different security levels, right up to VdS-tested and certified doors with resistance grade VdS III, to suit your individual requirements.

Available in various resistance grades

In line with the requirements of Security level B in accordance with VDMA standard sheet 24992\*\*

Model	Wall cut-out dimensions (h x w) mm	Frame dimensions (h x w x d) mm	Door passage dimensions (h x w) mm	Gewicht (in kg)
HPT 1	1800 x 880	1835 x 930 x 240	1730 x 750	180
HPT 2	1800 x 1000	1835 x 1050 x 240	1730 x 870	195
HPT 3	2000 x 880	2035 x 930 x 240	1930 x 750	195
HPT 4	2000 x 1000	2035 x 1050 x 240	1930 x 870	215

Resistance grade N (0) in accordance with EN 1143-1, VdS 2450

Model	Wall cut-out dimensions (h x w) mm	Frame dimensions (h x w x d) mm	Door passage dimensions (h x w) mm	Gewicht (in kg)
HPTN 1	1800 x 880	1835 x 930	1680 x 710	245
HPTN 2	1800 x 1000	1835 x 1050	1680 x 830	275
HPTN 3	2000 x 880	2035 x 930	1880 x 710	270
HPTN 4	2000 x 1000	2035 x 1050	1880 x 830	305
HPTN 5	2070 x 1000	2090 x 1040	1880 x 710	280
HPTN 6	2070 x 1120	2090 x 1160	1880 x 830	310

Resistance grade I in accordance with EN 1143-1, VdS 2450

Model	Wall cut-out dimensions (h x w) mm	Frame dimensions (h x w x d) mm	Door passage dimensions (h x w) mm	Gewicht (in kg)
HPTV 5	1800 x 880	1795 x 870 x 240	1685 x 710	225
HPTVB 5 <sup>+</sup>				340
HPTV 6	1800 x 1000	1795 x 990 x 240	1700 x 830	245
HPTVB 6 <sup>+</sup>				375
HPTV 7	2000 x 880	1995 x 870 x 240	1885 x 710	240
HPTVB 7 <sup>+</sup>				365
HPTV 8	2000 x 1000	1995 x 990 x 240	1900 x 830	260
HPTVB 8 <sup>+</sup>				405

Resistance grade II in accordance with EN 1143-1, VdS 2450

Model	Wall cut-out dimensions (h x w) mm	Frame dimensions (h x w x d) mm	Door passage dimensions (h x w) mm	Gewicht (in kg)
HPTII 2111	-	2115 x 1100	1964 x 878	800

Resistance grade III in accordance with EN 1143-1, VdS 2450

Model	Wall cut-out dimensions (h x w) mm	Frame dimensions (h x w x d) mm	Door passage dimensions (h x w) mm	Gewicht (in kg)
HPTIII 2111	-	2115 x 1100	1964 x 878	850





**HPT Series:** Construction: double-walled strongroom door, total door thickness 75 mm, solid bolt locking system. Installation: the frame is supplied with wall tie bolts for securing within a brick or concrete wall as standard.

**HPTN Series:** Construction: 4-walled strongroom door, total door thickness 125 mm, door frame made of solid steel section, with fire protection insulation in accordance with DIN 4102, 3-sided bolt locking system with 35-mm thick bolts, hinge side secured by fixed rear grip bolts, additional armour plating in lock, bolt mechanism and bolt area.

**HPTV and HPTVB Series:** Construction: 4-walled strongroom door, total door thickness 110 mm, solid bolt locking system, very strongly constructed rear grip rails on the hingeside along the entire length of the door, drill- and bullet-proof plate in the lock area. Installation: the frame is supplied with bore holes and tie bolts as standard, so it can be set in concrete or secured to an existing wall as required.

**HPTII and HPTIII Series:** Construction: door leaf and door frame flush on the outside, floor frame with max. 15 mm high threshold, total door thickness 152 mm, compact material thickness in front of the locks, including special filling with reinforcement and armour plating 60 mm, solid bolt locking system. Installation: door frame is partly concreted and must therefore be set correctly in the wall. Supplied prepared for fitting of an EMA (monitored intruder alarm) system as standard.

**All models:** locking with double-bit security lock (incl. 2 keys), door opening angle 180°, DIN right-hinged door.



HPT II & III



Installation example HPTV 8 / HPTVB 8

**HARTMANN** Weapons room doors made to measure

If our standard-dimension weapons rooms doors do not meet your requirements, we will be glad to make you a competitive offer for a made-to-measure solution.

**HARTMANN** Modular weapons rooms

HARTMANN weapons rooms offer reliable security in locations where a safe can not provide the space required, so they are ideal for the secure, legally compliant storage of large quantities of weapons or other valuable collections.

HARTMANN weapons rooms are constructed in a modular design. The height, width and depth of the door and locking system can be selected based on personal preference.

The strongrooms can be assembled as a separate unit or as part of an adjustable room-within-room system in an existing room. The modular construction also offers many other benefits:

- The system components are compact and therefore very lightweight. They are assembled on site without mortar and then welded together for extra security.
- The walls consist of individual panels, so the strongroom can be dismantled and rebuilt at a new location if necessary.
- The strongroom can be extended if required.

HARTMANN strongrooms, including the doors, have been tested and certified theft-proof in accordance with EN 1143-1. They are also available in different resistance grades.

The strongroom door can optionally be fitted with components ready for connection to a monitored intruder alarm system.

**HARTMANN**

Weapons room doors made to measure



Modular construction – practical and flexible!



All sizes and various resistance grades available

Optional with decorative interior lighting



HTE 106-02/B

**HARTMANN** Bullet-proof glass rifle cabinets Series HTE

Insurance rating private €30,000\* and commercial €2,500\*

The bullet-proof glass rifle cabinets in an elegant wood finish belong to the HARTMANN TRESORE Exclusive Line.


Large bullet-proof glass panes in the door — also available for the side panels depending on model type — and corresponding interior lighting show your collection, rifles or other exhibits in the very best light. The high-quality security cabinets are certified according to the strict European standard EN 14450, Security level S2

**Security level S2 in accordance with EN 14450**

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Rifle stands
HTE 104-01/B	1700 x 525 x 348	1660 x 440 x 260	145	7
HTE 104-02/B	1700 x 674 x 413	1660 x 590 x 322	181	10
HTE 105-01/B	1900 x 820 x 460	1860 x 726 x 372	240	13
HTE 106-01/B	1900 x 1220 x 460	1860 x 1126 x 372	386	20
HTE 106-02/B	1900 x 1220 x 460	1860 x 1086 x 372	392	19
HTE 107-01/B	1700 x 910 x 640*	1660 x 750 x 530*	205	8
	*Side length	*Side length		
HTE 108-01/B	1700 x 820 x 460	1660 x 686 x 372	221	12

**Security level S2 in accordance with EN 14450**

HTE 115-01/B	1960 x 840 x 450	1860 x 730 x 372	263	13
HTE 118-01/B	1960 x 840 x 450	1860 x 730 x 372	300	13



Optional: fingerprint locking system




HTE 108-01/B




HTE 106-01/ES

Illustration: with optional features



HTE 104-01/B



HTE 105-01/B



Optional: electronic keypad lock



Optional: fingerprint locking system



Optional: wood-finish electronic keypad lock

Bullet-proof rifle cabinet  
as corner unit



HTE 107-01/B

Models HTE 115-01/B and  
HTE 118-01/B in new design



HTE 115-01/B



HTE 118-01/B



Müller Schießzentrum Ulm

**HARTMANN** Bullet-proof glass rifle safes **Series HTE**

Multi-walled corpus, door with multi-layer bullet-proof glass pane  
Insurance rating private up to €40,000\*, commercial up to €10,500\*

Impressive and secure: store your long weapons, short weapons and ammunition in a single bullet-proof glass rifle cabinet certified to EN 1143-1 resistance grade N (0) in new design. No need for a separate interior safe! Choose from a wide range of corpus colours, linings and optional fittings.

Resistance grade N (0) in accordance with EN 1143-1

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Rifle stands
HTE 210-01/B	1802 x 840 x 450	1689 x 720 x 364	270	13
HTE 220-01/B	1802 x 1060 x 450	1689 x 940 x 364	315	17




HTE 210-01/B

**NEW:**  
Bullet-proof  
glass gun safe  
in N (0)



Optional: electronic keypad lock




Optional: fingerprint locking system



Optional: interior safe



Optional: LED interior lighting



Ideal for the secure storage and impressive display  
of weapons in hunting rifle retail shops

**HARTMANN** Bullet-proof glass rifle cabinets **Series HTE**

Insurance rating private up to €30,000\*, commercial up to €2,500\*

Security level S2 in accordance with EN 14450

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Rifle stands	Glass shelves
HTE 104-01/A	1700 x 525 x 348	1660 x 440 x 260	145	-	4
HTE 104-02/A	1700 x 674 x 413	1660 x 590 x 322	181	-	4
HTE 105-01/A	1900 x 820 x 460	1860 x 726 x 372	240	-	4
HTE 107-01/A	1700 x 910 x 640*	1660 x 750 x 530*	205	-	4
	*Side length	*Side length			
HTE 108-01/A	1700 x 820 x 460	1660 x 686 x 372	237	-	4

**HARTMANN** Bullet-proof glass rifle safes **Series HTE**

Insurance rating private up to €40,000\*, commercial up to €10,000\*

Resistance grade N (0) in accordance with EN 1143-1

Model	Ext. dimensions (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Glass shelves
HTE 210-01/A	1802 x 840 x 450	1689 x 720 x 364	270	4
HTE 220-01/A	1802 x 1060 x 450	1689 x 940 x 364	315	4

**HARTMANN** Colour samples – Safe corpus/interior

Choose your bullet-proof glass rifle safe or display cabinet in the colour or wood finish that is best suited to your furniture and surroundings.

Safe corpus:



Walnut finish



Root wood finish



Oak finish (light)



Maple finish



Black



White




Cherry wood finish (dark)

Inner upholstery:




Beige



Dark grey



Red



Green

Select your preferred colour!



HTE 108-01/A

Optional: decorative inner lighting

The bullet-proof display cabinets are fitted with glass shelves, so they are ideal for the secure storage of exclusive exhibits

**HTE 108-01/A** with side glazing

Interior upholstery in green, red, beige or grey



HTE 210-01/A

**Vds N (0)  
cabinet**

**HARTMANN** Solid wood rifle safes Series HTE 155

Insurance rating private up to €40,000\*, commercial up to €10,000\*

We supply exclusive display cabinets and rifle safes that enable our customers to keep and display fine hunting and collectors' rifles in accordance with the strict regulations of the German Weapons Law.

HARTMANN Solid wood rifle cabinets are certified to EN 1143 - 1 Resistance grade N (0), so they are suitable for the secure storage of long weapons, short weapons and ammunition.

Our display cabinets are individually produced items built in accordance with a tradition of craftsmanship. In addition to standard dimensions, we can also supply various different size versions. It is also possible to integrate this rifle cabinet system into existing fitted wall units.



HTE 155-01

**Resistance grade N (0)** in accordance with EN 1143-1, Vds 2450

Model	Ext. dimensions* (h x w x d) mm	Int. dimensions (h x w x d) mm	Weight (in kg)	Rifle stands	No. of doors
HTE 155-01	1900 x 800 x 600	1340 x 630 x 430	450	9	1
HTE 155-02	1900 x 1200 x 600	1340 x 1030 x 430	600	14	2

\* The final dimensions depend on the individual design of corpus, plinth and cornice



**HARTMANN Solid wood rifle safes Series HTE 155**

Insurance rating private up to €40,000\*, commercial up to €10,000\*

The basic construction of the cabinet is solid oak, with integrated security equipment made of stainless steel and multi-layered special bullet-proof glass. The wood surfaces (visible areas), which are also solid, can be produced from various woods.

The standard surface finish of the rifle cabinet is clear varnish, allowing the surfaces of the woods used to develop their natural colour. Special stains, coloured varnishes or other surface treatments are also available on request.

The standard display cabinets have 2 or 4 drawers, according to size, and halogen interior lighting integrated into the ceiling. The rifle stands can be varied individually, according to the desired number of rifles to be stored. The cabinet can be adapted to accommodate additional storage sections or stands e.g. for short weapons. Further options are also available, such as velvet upholstery or special interior space design using mirrors.

As an alternative to security glass, an appropriate wood filling can be fitted to the side walls of the display cabinet. Rear glazing of the cabinet is also possible, enabling a free-standing cabinet in the middle of the room to be viewed from all sides.


Particularly in the case of exclusive solid wooden rifle cabinets, we meet the special requirements of the customer in terms of equipment and design!



HTE 155-02

*The interior of the cabinet can be appointed to comply with individual requirements!*


**The HARTMANN HTE 155 is the only solid wood weapons safe with VdS approval!**



*Secure and impressive for your finest weapons*

Installation example HTE 155-02

The following woods are available:  
Cherry, oak, beech, maple or birch, either natural or varnished.  
*Special stains, coloured varnishes or other surface treatments are also available onrequest.*



HARTMANN Vehicle weapons safes

### VEHICLE RIFLE SAFES:

Pursuant to § 12, section 3 of the German Weapons Law (WaffG), a weapon may not be "readily accessible" during transportation, but must be kept in an "enclosed container". This means that the container must be locked. An ordinary case without a lock will not suffice. The same applies to fixed-blade knives with a blade length of more than 12 cm (§ 42a WaffG) i.e. most hunting knives.



### HARTMANN Vehicle weapons cabinets Series AT

A vehicle rifle cabinet guarantees the secure, legally compliant transport of firearms and hunting knives. The safe is equipped with two strong handles which make it easy to load and unload. Available in various sizes at Security level A (VDMA 24992) or without security level. Ready for fixed installation with bore holes in the floor and on the door hinge side.



Model	Ext. dimensions (h x w x d) mm	Rifle stands	Approx. weight (in kg)	Approx. volume (in litres)
<b>Security level A according to VDMA standard form 24992**</b>				
AT 1/A	850 x 220 x 310	4	30	53
AT 2/A	1250 x 220 x 310	4	55	78
<b>Without security level</b>				
AT 1	850 x 220 x 310	4	20	55
AT 2	1250 x 220 x 310	4	28	80





## Special colours

Unless otherwise specified in the series description, our rifle cabinets are supplied in light grey (RAL 7035) as standard.

Almost the entire RAL colour range is available at a small additional charge on request.


## Interior safes

Additional interior safes are also available for many of our models. Simply ask one of our expert advisors!

## Special Equipment

We recommend that you order the special features you require at the same time as your HARTMANN rifle cabinet. Please call us if you have any questions or special wishes not dealt with in this catalogue. We will be happy to accommodate your requirements.

Some of the possibilities available: install separately lockable drawers or a lockable door compartment in your rifle cabinet e.g. for the storage of ammunition. As an alternative, or additionally, you can also order top-piece safes for your cabinet.



HARTMANN top-piece safes

## HARTMANN TRESORE Drive hunt caps

a useful accessory for the safety-conscious hunter: the original HARTMANN TRESORE drive hunt caps in high-visibility orange, made of soft, quick-drying fleece! With embroidered motif and engraved metal buckle for size adjustment. Loop for attaching huntsman's sprig on right-hand side.

## Desiccant bags

Place desiccant bags in your rifle cabinet to protect your weapons effectively against moisture. The granulate can absorb up to 600 g of moisture; bags can be dried out on a radiator after use and re-used several times.



Lockable interior door compartment



HARTMANN ammunition drawers



Drive hunt caps



Desiccant bags

## HARTMANN *Special rifle safes*

### Rifle safes with leather rifle stands

Rustic style, long-lasting quality: rifle stands made of leather add a real hunting atmosphere to your rifle safe.



*For more information on  
special rifle safes,  
call 0800-8737673*



### Long weapons safes

with pull-out trays and exclusive fittings: the ideal way to store and display your weapons impressively and with especial care.



### Airbrush safes

Let our airbrush artist design your own personal safe or rifle cabinet in accordance with your individual wishes. Simply choose a safe or rifle cabinet from our extensive range that meets your needs and requirements in terms of size and security level. Then give us a copy of your favourite motif and let our artist create a truly eye-catching design that reflects your individual requirements!



### Customised rifle safes

On request, we also manufacture rifle safes entirely to our customers' requirements and specifications e.g. with an elegant, high-gloss black paint finish or leather upholstery. The interior can also be designed individually. Whether it is a particular number of rifle stands, compartments and drawers made of solid wood or lined with luxurious leather, special paint jobs or LED interior lighting – virtually anything is possible! We will be delighted to work with you on the design of your unique individual rifle safe!

## HARTMANN *locking technology*

Our safes are supplied with a double-bit high-security lock and at least two double-bit keys as standard equipment.

A selection of the various locks, handles and fittings available for your safe is displayed below and on the opposite page.

*However, please remember that not every safe can be combined or equipped with every lock and fitting.*

Following our joint decision on which safe is right for your requirements, we will be glad to advise you on choosing the appropriate locking technology.

### Biometric fingerprint locking system

The biometric fingerprint locking system is the first autonomous biometric locking system with VdS certification! The combination of an innovative fingerprint scanner and high-security lock not only meets the highest security standards, but also offers easy and convenient operation.

The fingerprint scanner can either be integrated flush with the surface of the safe door, or mounted on it in an elegant fitting (depending on model type).

**Gun safes with  
VdS-tested  
fingerprint lock!**

- innovative
- secure
- convenient



For advice and useful hints  
from our experts, call  
0800-8737673

Selection with various fittings

## Double-bit high-security locks

Selection with various fittings



## Mechanical numeric combination locks

Selection with various fittings



## Electronic keypad combination locks

Selection with various fittings



# HARTMANN *Product overview*

## ■ PRODUCTS

- Business safes
- Private safes
- Fireproof safes
- Wall safes
- Data media safes
- Document safes
- HazMat cabinets
- Furniture safes
- Hotel safes
- Key safes
- Strongroom doors
- Airbrush safes
- Banking technology
- Used safes

## ■ SERVICES

- All security levels
- All sizes
- All colours
- Customised products

## ■ CUSTOMER SERVICES

- Local advisory service
- Disposal of old safes
- Relocation & removals
- Emergency relief in case of burglary
- Damage assessment
- Rental safes
- Leasing & financing



*Request our  
main catalogue!  
Freecall 0800-8737673*



**Burglar-proof safes**

Whether they are kept in a private household or on business premises, important records, documents and other papers can sometimes be difficult, and in some cases impossible, to replace when lost – all the more reason for keeping them in a burglar-proof safe.

Our product range includes burglar-proof safes in many sizes and security levels. HARTMANN TRESORE safes are tested and certified compliant with Euro standards by reputable independent certification institutions such as VdS Schadenverhütung GmbH and ESSA e. V.



**Fire-proof safes**

A fire-proof safe is the right choice if you are looking to store important private or business documents and protect them against damage by fire, smoke or extinguishing water. Fire-proof safes are also ideal for storing keepsakes or articles with sentimental value, such as old family photos and personal letters. Our product range includes fireproof safes in various fire security levels.

**Burglar- and fire-proof safes**

A burglar- and fire-proof safe offers you the security of knowing that your important documents are protected not only against burglary, but also against fire. We can supply these so-called duplex cabinets in no less than four different fire security levels in combination with a variety of different burglar security levels.



**■ Tested security**

Our safes comply with the stringent German safety requirements and the relevant European standards. Their burglary- and fire protection performance are tested by reputable independent testing institutions and attested by corresponding inspection badges.

# HARTMANN *Special safes*



Request one of our special safes catalogue! Freecall 0800-8737673



## Pick-up/deposit safes


Pick-up/deposit systems enable car dealerships, car rental companies and workshops to offer their customers genuine round-the-clock service! The safes can be set up outside the building or built into the wall.



## Narcotics safes

According to Section 15 of the German Drug Law (BtMG) and the guidelines issued by the Federal Institute for Drugs and Medical Devices (BfArM), everyone involved in the sale and distribution of narcotics is obliged to store the narcotics in his possession separately and to secure them against unauthorized removal. We supply legally compliant BTM safes suitable for all organisations, institutions and businesses that need to store narcotics.



**Safes for stamp and coin collections**

Protect your valuable collection against burglary and fire! On request, the interior of the safe can be configured to fulfil your individual wishes and specifications.

**HazMat cabinets**

Safe and proper storage of hazardous substances is regulated by standard EN 14470-1, which was introduced in 2004. We can supply you with hazardous substance cabinets suitable for the various hazard types.


**Hotel safes and minibars**

Our comprehensive range of products for the hotel and catering industry includes a large number of different room safes, energy-efficient minibars, safe deposit boxes, back-office safes and key management systems.

**Acrylic glass safes**

The acrylic safe is especially popular for the presentation of exclusive products at trade fairs and other events, or for staging competitions and prize draws.






# SIGNATURE SAFES

by *Hartmann*

Beauty and security are by no means a contradiction in terms – and the best proof is our brand Signature Safes by HARTMANN.

The safes are individually built to customer specifications.

Sicherheitstechnik zu verzichten. Give your home or office an individual personal touch while taking advantage of the latest security technology.



Request our catalogue!  
[katalog@signature-safes.de](mailto:katalog@signature-safes.de)



### ■ Masterpieces

Exclusive, absolutely exceptional and uniquely individual: Masterpieces from the brand Signature Safes by HARTMANN offer the ultimate combination of luxury and security. Created for discerning customers who wish to clearly express their personality and style.



### ■ Watch safes

For your most valuable timepieces: individually built watch safes fitted with high-quality watch winders. Our safes ensure the secure storage of your self-winding watches, which are kept running and ready to present at a moment's notice.



### ■ Jewellery safes

Velvet-lined drawers, ring racks or necklace compartments: a custom-made safe ensures the secure storage of your jewellery in accordance with your personal wishes.



### ■ Interior Design

An interior made of tropical wood or entirely upholstered with leather, filigree glass elements, drawers lined with velvet or fine felt, integrated watch winders, LED interior lighting – the interior of your Signature Safe is built completely in accordance with your personal requirements and to your specification.

# TRANSPORT FORM

**Fax no.: +49 5251.1744999**

<b>Order no.:</b>	<b>Delivery possible:</b>
Name:	from _____ to _____
<b>Company:</b>	<b>Delivery not possible</b> ( <i>absence, building work, etc.</i> ):
Department:	from _____ to _____
Name of contact:	Transport all the way to final location necessary?
Postcode/Town:	<input type="checkbox"/> yes <input type="checkbox"/> no ( <i>delivery to kerbside possible</i> )
Phone:	If yes:
Fax:	<input type="checkbox"/> Level
<b>Delivery address:</b>	<input type="checkbox"/> Up/down steps, see Item 1 and 2
Company:	<input type="checkbox"/> In lift, see Item 3

Street address:	<b>General Transport &amp; Delivery Terms:</b> Safes and cabinets are delivered to ground floor level on a pallet. On request, installation at point of use by trained personnel with the corresponding special equipment is possible. Our expert advisor will give you a quotation for the cost of transport to point of use.
Postcode/Town:	
Phone (daytime): _____ (evenings): _____	
Fax (daytime): _____ (evenings): _____	


**1. Transport outside building:**

- 1.1 Level, without steps?                     yes     no
- 1.2 If steps, please state how many:        \_\_\_\_\_ steps
- 1.3 (re. Item 1.2): Protruding edges?       yes     no
- 1.4 Step cladding material?                    \_\_\_\_\_
- 1.5 Can delivery lorry use rear loading ramp to bridge steps?     yes     no
- 1.6 Parking available?                          yes     no
- 1.7 Transport route surface?                    \_\_\_\_\_
- 1.8 Loading ramp available?                   yes     no
- 1.9 Fork lift truck available?                  yes     no

**2. Transport inside building:**

- 2.1 Level, without steps?                     yes     no
- 2.2 If steps, please state how many:        \_\_\_\_\_ steps
- 2.3 (re. Item 2.2): Protruding edges?      \_\_\_\_\_ edges
- 2.4 Step cladding material?                    \_\_\_\_\_
- 2.5 Point of use in basement?                 yes     no
- 2.6 Point of use on \_\_\_\_ floor?
- 2.7 Staircase type (*see below, please tick appropriate box*)
- 2.8 Staircase material (e.g. wood, steel etc.): \_\_\_\_\_
- 2.9 (re. Item 2.7 and 2.8): Free-standing?  yes     no  
With solid supports?  yes     no

(re. Item 2.7) **Transport inside building – staircase type:**



- 1. Straight staircase without banister
- 2. Straight staircase with banister
- 3. Staircase with 90° bend and landing
- 4. Spiral staircase with 180° sweep
- 5. Staircase with bend at 90° angle
- 6. Staircase with 180° bend and landing
- 7. Winding staircase 2 x 90° without landing
- 8. Winding staircase 1 x 180° without landing

**3. Transport in lift**

- 3.1 Can transport be carried out with an existing lift                     yes     no
- 3.2 Is transport up/down steps required in addition to transport by lift?     yes     no
- 3.3 Is the max. loading capacity of the lift sufficient for the weight of the safe?     yes     no
- 3.4 Lift dimensions:  
Door height/width: \_\_\_\_\_

**4. Anchoring**

- 4.1 Does the safe require anchoring?                     yes     no

Additional remarks:

Place, date

Signature

## Request for further information

**Fax no.: +49 5251.1744999**

Please send me additional information on the product fields I have ticked:

- Burglar- and fireproof safes
- Watch safes & Design safes
- Room safes and minibars for the hotel industry
- Narcotics (BTM) safes
- HazMat cabinets
- Special safes for the automotive industry



You can also submit your catalogue request online:



I am particularly interested in \_\_\_\_\_

\_\_\_\_\_  
*Company name*

\_\_\_\_\_  
*Contact person (first name, surname)*

\_\_\_\_\_  
*Phone number*

\_\_\_\_\_  
*Fax number*

\_\_\_\_\_  
*Street address*

@

\_\_\_\_\_  
*E-mail address*

### ■ PRODUCTS

Business safes  
Private safes  
Fireproof safes  
Wall safes  
Data media safes  
Document safes  
HazMat cabinets  
Furniture safes  
Hotel safes  
Key safes  
Strongroom doors  
Gun safes  
Hotel safes  
Patient safes  
Airbrush safes  
Banking technology  
Design safes  
Used safes

### ■ SERVICES

All security levels  
All sizes  
All colours  
Customised products

### ■ CUSTOMER SERVICES

Local advisory service  
Disposal of old safes  
Relocation & removals  
Emergency relief in case of burglary  
Damage assessment  
Rental safes  
Leasing & financing

\_\_\_\_\_  
**COMPANY STAMP**

### Explanatory notes on the Weapons Law:

The wording "...or do not come into the possession of unauthorized third parties ..." means that the safe key should be constantly kept by the owner or left in a secure place (for example, wall safe). If third parties gain unauthorized access to the weapons because the key has been left unattended e.g. during the night, or when the owner is showering or taking a sauna, this constitutes a violation of the Weapons Law.



### Excerpt from the law on the new ordinances for the German Weapons Law (WaffG)

of 11. 10. 2002 – Excerpt from § 36 WaffG 2002

#### Safekeeping of weapons and ammunition

*(1) Anyone who possesses weapons or ammunition must comply with the necessary regulations to ensure that these objects are not lost or do not come into the possession of unauthorized third parties.*

*Firearms must be kept separately from ammunition, unless they are kept in a security container that meets the requirements at least of DIN/EN 1143-1 resistance grade 0 (as of May 1997) or a standard with the same level of protection of Member State of the European Economic Area (EEA).*

*(2) Firearms, the acquisition of which entails the obligation to obtain a permit, and prohibited weapons are to be kept safe at least in a container corresponding to DIN/EN 1143-1 resistance grade 0 (as of May 1997) or equivalent container; an equivalent being in particular a container of security level B according to VDMA 24992 (as of May 1995). For up to ten rifles the secure safekeeping in a container is one that corresponds to security level A according to VDMA 24992 (as of May 1995) or a standard with the same level of protection of another EEA Member State. Comparably secured rooms are to be regarded as equivalent.*

*(3) Anyone who possesses firearms, ammunition or prohibited weapons (...) must prove to the authorities that he or she has taken the necessary measures for their secure safekeeping. The owners of firearms, ammunition or prohibited weapons must also allow the authorities access to the premises where the weapon and ammunition are stored in order to ascertain whether the obligations set out in Sections 1 and 2 have been fulfilled. Households may only be entered against the will of the occupant to prevent immediate danger to public safety; to this extent the basic right to inviolability of the home (Article 13 German Constitution) may be curtailed.*

*(4) If the present safekeeping of weapons or ammunition, the acquisition and possession of which require an appropriate permit, does not correspond to the requirements set out in this Act or a statutory instrument according to section 5, the owner must undertake to comply with the additional regulations by 31. 08. 2003 in order to guarantee a safekeeping that meets these requirements.*

*This is to be shown and proved to the authorities responsible within the period specified in subsection 1.*

### Excerpt from the General Weapons Law Ordinance (AWaffV)

of 1. December 2003 – Excerpt from §13 AWaffV

*(6) Only a maximum of three long weapons the purchase and possession of which entails the obligation to obtain a permit may be kept in a building that is not permanently inhabited. The weapons must be kept at least in a container corresponding to DIN/EN 1143-1 resistance grade 1. Upon application, the responsible authorities may permit deviations regarding the type or number of weapons kept and the security container.*

**Bundesgrenzschutzamt** Köln  
**Bundesgrenzschutzamt** Weil am Rhein  
**Bundesgrenzschutzpräsidium** Sankt Augustin  
**Bundesgrenzschutzamt Kleve** Kleve  
**Bundesgrenzschutzamt Flensburg** Flensburg  
**Bundespolizeiamt München** München

**DEVA Deutsche Versuchs- u. Prüfanstalt für Jagd-/ Sportwaffen** Altenbeken  
**SFG-Sportförderungsgesellschaft** Wiesbaden

**Bundesforstamt Lübberstedt** Axstedt  
**Forstamt Lüdenscheid** Lüdenscheid  
**Bundesforstamt Möser** Möser  
**Forstamt Wolfhagen** Ahnatal-Weimer  
**Forstamt Ludwigslust** Kummer/Ludwigslust  
**Forstamt Grabow** Kremmin  
**Bundesforstamt** Munster  
**Forstamt Kandel** Kandel i.d. Pfalz  
**Bundesforstamt Klietz** Klietz  
**Nieders. Forstamt Uslar** Uslar  
**Forstamt Riefensbeek** Osterode a. Harz  
**Bundesforstamt Senne** Bad Lippspringe  
**Niedersächsisches Forstamt** Uslar  
**Bundesforstamt Warnerheide** Troisdorf  
**Bundesforstamt Spakeler Heide** Damme  
**Forstamt Wolfhagen** Wolfhagen  
**Nieders. Forstamt Saupark** Springe  
**Staatliches Forstamt** Titisee-Neustadt  
**Niedersächsisches Forstamt** Hude  
**Stadtforstamt Brilon** Brilon  
**Stadtforstamt Göttingen** Göttingen  
**Stadtforstamt Forstrevier** Hannover  
**Forstverwaltung** Parsau  
**Forstamt Bad Hersfeld** Bad Hersfeld  
**Bundesforstamt Hintersee** Hintersee  
**Nieders. Forstamt Carrenzien** Stapel  
**Bundesforstamt Lübtheen** Lübtheen  
**Nieders. Forstamt Carrenzien** Neuhaus / E.  
**Forstamt Sankt Blasien** Sankt Blasien  
**Forstamt Koblenz** Koblenz  
**Nieders. Landesforstamt** Dassel

**Polizeipräsidium Essen** Essen  
**Kriminalpolizei Schwelm** Schwelm  
**Polizeipräsidium Köln** Köln  
**Landespolizeidirektion** Karlsruhe  
**Polizeipräsidium Bielefeld** Bielefeld  
**Polizeipräsidium Bonn** Bonn  
**Polizeipräsidium Oberhausen** Oberhausen  
**Polizeipräsidium Essen** Essen  
**Kreispolizeibehörde Meschede** Meschede  
**Polizei Schießsportverein** Paderborn  
**Polizeipräsidium Trier** Trier  
**Polizeipräsidium Mainz** Mainz  
**Kreispolizeibehörde Schwelm** Schwelm  
**Polizeidirektion ZKD** Stendal  
**Polizeipräsidium Münster** Münster  
**Polizeipräsidium Chemnitz** Chemnitz  
**Polizeisportverein Linnich** Linnich  
**Polizeipräsidium Niederbayern** Regensburg  
**Polizeipräsidium Frankfurt a. M.** Frankfurt am Main  
**Kreispolizeibehörde Soest** Soest  
**Polizeipräsidium Osthessen** Fulda  
**Kreispolizeibehörde Olpe** Olpe

**Kreispolizeibehörde Kleve** Kleve  
**Akademie der Polizei** Freiburg  
**Polizeiwache Meckenheim** Meckenheim  
**Polizeiamt für Technik** Hannover  
**Polizeipräsidium Köln** Köln (Kalk)  
**Stadtverwaltung** Bad Rappenau  
**Polizeidirektion Freudenstadt** Freudenstadt  
**Sportvereinigung Polizei von 1920 e.V.** Hamburg  
**Polizeipräsidium Koblenz** Koblenz  
**Polizeidirektion Calw** Calw  
**Polizei Raesfeld** Raesfeld  
**Kreispolizeibehörde Olpe** Olpe  
**Bereitschaftspolizei** Rheinland-Pfalz  
**Zentrale Polizeitech. Dienste NRW** Duisburg

**Staatliches Bauamt Wesel** Wesel  
**Staatliches Hochbauamt Ansbach** Ansbach  
**Staatliches Hochbauamt Kempten** Kempten  
**Stadt Landshut Hochbauamt** Landshut  
**Staatliches Hochbauamt Ingolstadt** Ingolstadt  
**Staatliches Hochbauamt** Bad Kissingen  
**Bundeswehr Kalkar** Kalkar  
**Standortverwaltung Berlin** Berlin  
**Bundeswehr-Dienstleistungs-Zentrum** Erfurt  
**Landratsamt Böblingen** Böblingen  
**Bezirksregierung Detmold** Detmold

**Deutscher Jagdschutzverband e.V.** Bonn  
**Landesjagdverband**  
**Baden-Württemberg** Stuttgart  
**Bayerischer Jagdverband** Oberviechtach  
**Jagdschule Gut Grambow** Grambow  
**Landesjagdverband NRW e.V.** Dortmund  
**Landesjagdverband RP e.V.** Gensingen  
**Landesjagdverband Hamburg e.V.** Hamburg  
**Landesjägerschaft Niedersachsen e.V.** Hannover

**Schützenverein Olympia** Wilhelmshaven  
**Olympia Schießanlage Hochbrück** Garching  
**Deutscher Schützenbund e.V.** Wiesbaden  
**Bayerischer Sportschützenbund** Garching  
**Rheinischer Schützenbund** Leichlingen  
**Westfälischer Schützenbund** Dortmund  
**Nordwestdeutscher Schützenbund** Bassum  
**Norddeutscher Schützenbund** Kiel  
**Bund der Militär- und Polizeischützen (BDMP) e.V.** Paderborn  
**Niedersächsischer Sportschützenverband e.V.** Wunsdorf  
**Sport Pistol and Rifle Club** Pulheim  
**Schützenverein 1924 e.V.** Weingarten/Baden  
**Landessportbund NS e.V.** Hannover  
**Sportpark GmbH** Solingen  
**Sportschützen Köln Ostheim** Köln  
**Polizeisportverein Linnich** Linnich  
**Schießsportverein Benningsen** Springe  
**Sportschützenverein Untertürkheim** Stuttgart  
**Schießsportgemeinschaft Detmold** Lemgo  
**Sportschützenverein Edlingen** Dischingen  
**TSG Sportgemeinschaft** Bad Wurzach  
**GTV-Schießsportabteilung** Bremerhaven  
**Sportschützen Raesfeld** Raesfeld  
**Schießsportfreunde Lengsdorf e.V.** Bonn



Recommended by  
the Federal  
Association of German  
Professional Hunters



DEUTSCHER SCHÜTZENBUND E.V.

Official supplier  
to the Deutscher  
Schützenbund and  
its national team





## HARTMANN TRESORE AG

### HEADQUARTERS

Pamplonastraße 2  
33106 Paderborn  
Phone +49 (0) 52 51 - 17 44 -0  
paderborn@hartmann-tresore.de



### HAMBURG BRANCH

Vorsetzen 41  
20459 Hamburg  
Phone +49 (0) 40 - 36 90 54 -30  
hamburg@hartmann-tresore.de



### BERLIN BRANCH

Kurfürstendamm 63  
10707 Berlin  
Phone +49 (0) 30 - 88 70 87 -70  
berlin@hartmann-tresore.de



### DÜSSELDORF BRANCH

Graf-Adolf-Straße 70  
40210 Düsseldorf  
Phone +49 (0) 2 11 - 17 93 73 -49  
duesseldorf@hartmann-tresore.de



### COLOGNE BRANCH

Hohenstaufenring 48-54  
50674 Köln  
Phone +49 (0) 2 21 - 8 20 18 -20  
koeln@hartmann-tresore.de



### MUNICH BRANCH

Arnulfstraße 51  
D-80636 München  
Phone +49 (0) 89 - 3 68 12 60-700  
muenchen@hartmann-tresore.de



### HARTMANN TRESORE SCHWEIZ AG

Pflanzschulstrasse 3 | Postfach 185  
CH-8411 Winterthur  
Phone +41 (0) 44 - 350 39 55  
info@hartmann-tresore.ch



[www.waffenschraenke.de](http://www.waffenschraenke.de)  
[info@waffenschraenke.de](mailto:info@waffenschraenke.de)